

Shore Length (m):

Volunteer Lake Assessment Program Individual Lake Reports E. WASHINGTON DAM POND, WASHINGTON, NH

MORPHOMETRIC DA	<u>ΓΑ</u>		TROPHIC	CLASSIFICATION	KNOWN EXOTIC SPECIES		
Watershed Area (Ac.):		Max. Depth (m):	Flushing Rate (yr1)		Year	Trophic class	
Surface Area (Ac.):	26	Mean Depth (m):	P Retention Coef:		2010	MESOTROPHIC	

Elevation (ft):

The Waterbody Report Card tables are generated from the DRAFT 2014 305(b) report on the status of N.H. waters, and are based on data collected from 2004-2013. Detailed waterbody assessment and report card information can be found at www.des.nh.gov/organizations/divisions/water/wmb/swqa/index.htm

Designated Use	Parameter	Category	Comments
Aquatic Life	рН	Slightly Bad	>10% of samples exceed criteria by a small margin (minimum of 2 exceedances).
	Oxygen, Dissolved	Encouraging	There are < 10 samples with 0 exceedances of criteria. More data needed.
	Dissolved oxygen satura	Encouraging	There are < 10 samples with 0 exceedances of criteria. More data needed.
Primary Contact Recreation	Escherichia coli	No Data	No data for this parameter.
	Chlorophyll-a	Slightly Bad	There are >10% of samples (minimum of 2), exceeding indicator.


BEACH PRIMARY CONTACT ASSESSMENT STATUS

Volume (m³):

BEARDS BROOK - MILL POND TOWN BEACH	Escherichia coli	Duu	There are >=1 exceedance(s) of the geometric mean and/or >=2 single sample criterion exceedances.
			One or more exceedance is >2X criteria.

WATERSHED LAND USE SUMMARY

Fry, J., Xian, G., Jin, S., Dewitz, J., Homer, C., Yang, L., Barnes, C., Herold, N., and Wickham, J., 2011. Completion of the 2006 National Land Cover Database for the Conterminous United States, PERS, Vol. 77(9):858-864. For larger image contact NHDES.



Land Cover Category	% Cover	Land Cover Category	% Cover	Land Cover Category	% Cover
Open Water	3.48	Barren Land	0.01	Grassland/Herbaceous	0.47
Developed-Open Space	1.99	Deciduous Forest	28.39	Pasture Hay	3.49
Developed-Low Intensity	0.37	Evergreen Forest	18.32	Cultivated Crops	0.25
Developed-Medium Intensity	0	Mixed Forest	38.9	Woody Wetlands	1.89
Developed-High Intensity	0	Shrub-Scrub	1.89	Emergent Wetlands	0.53

New HAMPSHIRE DEPARTMENT OF Environmental Services

VOLUNTEER LAKE ASSESSMENT PROGRAM INDIVIDUAL LAKE REPORTS

MILL POND, EAST WASHINGTON 2014 DATA SUMMARY

OBSERVATIONS AND RECOMMENDATIONS (Refer to Table 1 and Historical Deep Spot Data Graphics)

- ♦ CHLOROPHYLL-A: Chlorophyll levels were very low in July and August and increased to average levels in September. The 2014 average chlorophyll levels were much less than the state median and were the lowest measured since monitoring began. Visual inspection of historical data indicate variable chlorophyll levels since monitoring began.
- E. COLI: Island Pond Inlet and Woodward Brook E. coli levels decreased from July to September and were well below the state standard for surface waters (406 cts/100 mL).
- TOTAL PHOSPHORUS: Epilimnetic phosphorus levels were slightly elevated in July following a significant storm event that blew out boards in the dam which lowered pond water level. Sampling was conducted after the pond refilled. A similar event occurred in August. Average epilimnetic phosphorus levels remained at the lower 2013 level and we hope to see this continue.
- TRANSPARENCY: Transparency was very good and the Secchi disk was generally visible on the pond bottom on each sampling event.
- TURBIDITY: Epilimnetic turbidity was slightly higher in July and September. The significant storm event in July may have contributed to the higher turbidity and the higher algal growth in September likely contributed to the higher turbidity. Average Epilimnetic turbidity was stable with 2013 levels. Tributary turbidity levels were within average ranges for those stations.
- PH: Epilimnetic pH levels improved as the summer progressed and fluctuated below the desirable range 6.5-8.0 units. Tributary pH levels fluctuated within the desirable range.
- RECOMMENDED ACTIONS: The increased frequency and intensity of significant storm events led to the washout of the dam in July and August in 2014. This is a concern and we hope that this does not occur on a regular basis in the future. The high flushing rate of the pond along with the installation of several best management practices to reduce phosphorus loading to the pond may be helping to lower nutrient and chlorophyll-a levels. We hope to see this continue! Keep up the great work!

Station Name Table 1. 2014 Average Water Quality Data for BEARDS BROOK - EA								VASHINGTO	ON DAM
	Alk.	Chlor-a	Cond.	E. Coli	Total P	Trans.		Turb.	рН
	mg/l	ug/l	uS/cm	#/100ml	ug/l	m		ntu	
					·	NVS	VS		
Epilimnion	7.5	1.98	49.8		16	1.77	1.78	1.36	6.54
Island Pond Inlet			61.6	53	11			0.88	6.77
Outlet			49.3		14			1.30	6.64
Woodward Brook			26.0	40	10			1.19	6.50

NH Median Values: Median values for specific parameters

generated from historic lake monitoring data.

Alkalinity: 4.9 mg/L Chlorophyll-a: 4.58 mg/m³ Conductivity: 40.0 uS/cm Chloride: 4 mg/L

Total Phosphorus: 12 ug/L

Transparency: 3.2 m

pH: 6.6

NH Water Quality Standards: Numeric criteria for specific parameters. Results exceeding criteria are considered a water quality violation.

Chloride: > 230 mg/L (chronic)
E. coli: > 88 cts/100 mL – public beach
E. coli: > 406 cts/100 mL – surface waters
Turbidity: > 10 NTU above natural level
pH: between 6.5-8.0 (unless naturally occurring)

HISTORICAL WATER QUALITY TREND ANALYSIS

				_	
Parameter	Trend	Explanation	Parameter	Trend	Explanation
Conductivity	N/A	Ten consecutive years of data necessary for analysis.	Chlorophyll-a	N/A	Ten consecutive years of data necessary for analysis.
pH (epilimnion)	N/A	Ten consecutive years of data necessary for analysis.	Transparency	N/A	Ten consecutive years of data necessary for analysis.
			Phosphorus (epilimnion)	N/A	Ten consecutive years of data necessary for analysis.

